

Videohub Smart Control Pro



When you want the fastest routing you can get, then Videohub Smart Control Pro lets you route with a single button press. Program each button for a single router cross point and when pressed the route is made. You can program to have multiple destinations and even a take button! Powers via DC or the Ethernet connection!

Connections

Ethernet

RJ45 Ethernet In and Out. Power over ethernet supported on Ethernet In. No power over ethernet on Ethernet Out.

RS-422


In and Out (for future implementation)

Computer Interface

USB-C for configuration and software updates.

Power

100 - 240 AC



Macro Capability

Up to 10 macro buttons can be assigned to activate multiple simultaneous switching commands.

Hardware Control

48 programmable buttons and RJ45 Ethernet used for remote control of routers over an IP network.

Software

Internal Software upgrade via included firmware updater application via USB.

Operating Systems



Mac 10.15 Catalina,
Mac 11.1 Big Sur or later.



Windows 10, 64-bit.

Physical Installation

1 rack unit size. Less than 3 inches deep.

Button Configuration

Included free for Windows™ and Mac™ via USB 2.0 high speed (480Mb/s) interface.

Power Requirements


Power Fail Protection

Button configurations and router communication preserved and restored instantly at power on. Button configuration can also be saved for later recall.

Power Supply

Internal 100 - 240 V AC

Physical Specifications



Environmental Specifications

Storage temperature

-20° to 45° C (-4° to 113° F)

Relative Humidity

0% to 90% non-condensing
